

Robust landscaping tools for demanding applications!

Modifiable levellers, lutes and rakes


- All of the tools are manufactured from durable and corrosion-resistant light-weight aluminium alloy.
- 15 replaceable blades.
- Both sides of the blades can be used.
- A non-slip rubber grip available for the handle.
- Coating: the handle is available as bright anodised or with powder coating (on request).

Our customers include construction companies; road, landscaping and sports field developers; gardeners; landscaping units; sports fields and golf courses; skiing centres; and households.

We have manufactured tools for demanding professional applications for more than 20 years. The high quality of our products is guaranteed by our thorough product development in cooperation with leading Finnish infrastructure sector companies.

Study our product range and contact us so that we can determine which tools best suit your needs!

Extra strong stainless steel blades!




— GRAFIPRO — 2017 —

- Grafipro Oy, business ID: 0837175-4 • Registered office: Naantali, Finland • Postal address: Verkapiha 3 A 1, FI-20100 Turku, Finland
- Deliveries: Voivalantie 24 A, Suite no. 3, FI-20780 Kaarina, Finland • Tel. +358 40 777 3527, +358 40 565 0126
- E-mail: : grafipro@grafipro.fi • www.grafipro.fi

Robust asphalt tools for demanding applications!

For transferring, levelling out and modifying asphalt, concrete, gravel and macadam.



KL LUTES

- Manufactured from durable and corrosion-resistant light-weight aluminium alloy.
- Two-metre handle; a non-slip rubber grip also available for the handle.
- Blade width 400–880 mm, non-serrated.
- Both sides of the blades can be used.
- Weight of the tools: 1.10–2.0 kg.
- Parts can also be separately delivered. The lutes are easy and fast to assemble.

Product	Product code	EAN code	Handle length m	Coating	Blade width mm	Weight, kg
KL lute						
Lute/leveller 400 mm	KL-400 C	6430026624012	2	Anodised	400	1,10
Lute/leveller 560 mm	KL-560 C	6430026627051	2	Anodised	560	1,70
Lute/leveller 720 mm	KL-720 C	6430026626016	2	Anodised	720	1,80
Lute/leveller 880 mm	KL-880 C	6430026627129	2	Anodised	880	1,90
KL lutes with grip						
Lute/leveller 400 mm + grip	KL-400 KC	6430026627174	2	Rubber grip	400	1,20
Lute/leveller 560 mm + grip	KL-560 KC	6430026627372	2	Rubber grip	560	1,80
Lute/leveller 720 mm + grip	KL-720 KC	6430026627457	2	Rubber grip	720	1,90
Lute/leveller 880 mm + grip	KL-880 KC	6430026627198	2	Rubber grip	880	2,00
KL lutes, blades						
KL-400 blade	G-11/400	6430026624111	–	Untreated	400	0,26
KL-560 blade	G-11/560	6430026627280	–	Untreated	560	0,36
KL-720 blade	G-11	6430026626115	–	Untreated	720	0,46
KL-880 blade	G-11/880	6430026627143	–	Untreated	880	0,56

GRAFIPRO—2017—


- Grafipro Oy, business ID: 0837175-4 • Registered office: Naantali, Finland • Postal address: Verkapiha 3 A 1, FI-20100 Turku, Finland
- Deliveries: Voivalantie 24 A, Suite no. 3, FI-20780 Kaarina, Finland • Tel. +358 40 777 3527, +358 40 565 0126
- E-mail : grafipro@grafipro.fi • www.grafipro.fi

Robust landscaping tools for demanding applications!

For transferring, levelling out and modifying asphalt, concrete, gravel, macadam, sand and soil.

KH RAKES

- Manufactured from durable and corrosion-resistant light-weight aluminium alloy.
- Two-metre handle; a non-slip rubber grip also available for the handle.
- Blade width 400–880 mm.
- Both sides of the blades can be used.
- Weight of the tools: 1.00–1.9 kg.
- Parts can also be separately delivered. The lutes are easy and fast to assemble.



Product	Product code	EAN code	Handle length m	Coating	Blade width mm	Blade serration mm	Weight, kg
KH rakes							
Rake/leveller 400 mm	KH-400	6430026624029	2	Anodised	400	10 x 15	1,00
Rake/leveller 560 mm	KH-560 C	6430026627082	2	Anodised	560	10 x 15	1,60
Rake/leveller 720 mm	KH-720 C	6430026626023	2	Anodised	720	10 x 15	1,70
Rake/leveller 880 mm	KH-880 C	6430026627112	2	Anodised	880	10 x 15	1,80
KH rakes with grip							
Rake/leveller 400 mm + grip	KH-400 KC	6430026627181	2	Rubber grip	400	10 x 15	1,10
Rake/leveller 560 mm + grip	KH-560 KC	6430026627389	2	Rubber grip	560	10 x 15	1,70
Rake/leveller 720 mm + grip	KH-720 KC	6430026627464	2	Rubber grip	720	10 x 15	1,80
Rake/leveller 880 mm + grip	KH-880 KC	6430026627204	2	Rubber grip	880	10 x 15	1,90
KH rakes, blades							
KH-400 blade	G-61/400	6430026624128	–	Untreated	400	10 x 15	0,15
KH-560 blade	G-61/560	6430026627297	–	Untreated	560	10 x 15	0,25
KH-720 blade	G-61	6430026626122	–	Untreated	720	10 x 15	0,35
KH-880 blade	G-61/880	6430026627150	–	Untreated	880	10 x 15	0,45

— GRAFI PRO — 2017 —


- Grafipro Oy, business ID: 0837175-4 • Registered office: Naantali, Finland • Postal address: Verkapiha 3 A 1, FI-20100 Turku, Finland
- Deliveries: Voivalantie 24 A, Suite no. 3, FI-20780 Kaarina, Finland • Tel. +358 40 777 3527, +358 40 565 0126
- E-mail: : grafipro@grafipro.fi • www.grafipro.fi

Robust landscaping tools for demanding applications!

For transferring, levelling out and modifying gravel, macadam, sand and soil.

KU RAKES

- Manufactured from durable and corrosion-resistant light-weight aluminium alloy.
- Two-metre handle; a non-slip rubber grip also available for the handle.
- Blade width 560–880 mm.
- Both sides of the blades can be used.
- Weight of the tools: 1.75–2.05 kg.
- Parts can also be separately delivered. The rakes are easy and fast to assemble.



Product	Product code	EAN code	Handle length m	Coating	Blade width mm	Blade serration mm	Weight, kg
KU rake							
Rake/leveller 560 mm	KU-560 C	6430026627099	2	Anodised	560	20 x 35	1,75
Rake/leveller 720 mm	KU-720 C	6430026626030	2	Anodised	720	20 x 35	1,85
Rake/leveller 880 mm	KU-880 C	6430026627136	2	Anodised	880	20 x 35	1,95
KU rakes with grip							
Rake/leveller 560 mm + grip	KU-560 KC	6430026627396	2	Rubber grip	560	20 x 35	1,85
Rake/leveller 720 mm + grip	KU-720 KC	6430026627471	2	Rubber grip	720	20 x 35	1,95
Rake/leveller 880 mm + grip	KU-880 KC	6430026627402	2	Rubber grip	880	20 x 35	2,05
KU rakes, blade							
KU-560 blade	G-91/560	6430026627303	–	Untreated	–	20 x 35	0,36
KU-720 blade	G-91	6430026626139	–	Untreated	–	20 x 35	0,46
KU-880 blade	G-91/880	6430026627167	–	Untreated	–	20 x 35	0,56

GRAFIPRO — 2017 —


- Grafipro Oy, business ID: 0837175-4 • Registered office: Naantali, Finland • Postal address: Verkapiha 3 A 1, FI-20100 Turku, Finland
- Deliveries: Voivalantie 24 A, Suite no. 3, FI-20780 Kaarina, Finland • Tel. +358 40 777 3527, +358 40 565 0126
- E-mail: : grafipro@grafipro.fi • www.grafipro.fi

Robust landscaping tools for demanding applications!

For transferring, levelling out and modifying gravel, macadam and sand.

KV RAKES

- Manufactured from durable and corrosion-resistant light-weight aluminium alloy.
- Two-metre handle; a non-slip rubber grip also available for the handle.
- Blade width 720 mm.
- Both sides of the blade can be used.
- Weight of the tools: 1.75-1.85 kg.
- Parts can also be separately delivered. The rakes are easy and fast to assemble.



KV-720 KC

Product	Product code	EAN code	Handle length m	Coating	Blade width mm	Blade serration mm	Weight, kg
KV rakes							
Rake/leveller 720 mm	KV-720 C	6430026627105	2	Anodised	720	Triangle 25x50	1,75
KV rakes with grip							
Rake/leveller 720 mm + grip	KV-720 KC	6430026627259	2	Rubber grip	720	Triangle 25x50	1,85
KV rake, blade							
KV-720 blade	G-41	6430026627426	2	Untreated	720	Triangle 25x50	0,37

Extra strong stainless steel blades

For transferring, levelling out and modifying asphalt, concrete, gravel and macadam.

STAINLESS STEEL LUTES

- Handles and bracings manufactured from durable and corrosion-resistant light-weight aluminium alloy.
- Two-metre handle; a non-slip rubber grip also available for the handle.
- Blade manufactured from 2 mm stainless steel.
- Blade width 720 mm.
- Both sides of the blades can be used.
- Weight of the tools: 2.20-2.30 kg.
- Parts can also be separately delivered. The rakes are easy and fast to assemble.



KL-720 RST

Product	Product code	EAN code	Handle length m	Coating	Blade width mm	Blade material	Weight kg
RST lutes							
Lute/leveller 720 stainless steel	KL-720 RST	6430026620083	2	Anodised	720	Stainless steel	2,20
Lute/leveller 720 stainless steel + grip	KL-720 RSTK	6430026620090	2	Rubber grip	720	Stainless steel	2,30
Parts separately:						Notes	
Stainless steel blade	G-12 RST	6430026620106	—	Untreated	720	Stainless steel	0,85
Anodised handle, 2 m	G-24 C	6430026627235	2	Anodised	—	Glossy	0,85
Anodised handle with grip, 2 m	G-27 C	6430026627334	2	Bright/black. Rubber grip 1,2 m			0,95
Bracing	G-32 LC	6430026627242	—	Painted, black RAL 9005			0,50

GRAFIPRO — 2017 —

- Grafipro Oy, business ID: 0837175-4 • Registered office: Naantali, Finland • Postal address: Verkapiha 3 A 1, FI-20100 Turku, Finland
- Deliveries: Voivalantie 24 A, Suite no. 3, FI-20780 Kaarina, Finland • Tel. +358 40 777 3527, +358 40 565 0126
- E-mail: : grafipro@grafipro.fi • www.grafipro.fi


Robust landscaping tools for demanding applications!

For transferring, levelling out and modifying asphalt, concrete, gravel and macadam.



KT LUTES

- Manufactured from durable and corrosion-resistant light-weight aluminium alloy.
- Two-metre handle; a non-slip rubber grip also available for the handle.
- Blade width 600 or 700 mm.
- Both sides of the blades can be used.
- Weight of the tools: 1.45-1.60 kg.
- Parts can also be separately delivered. The lutes are easy and fast to assemble.
- No separate bracing component.



T-profile is directly attached to the handle.

Product	Product code	EAN code	Handle length m	Coating	Blade width mm	Notes	Weight kg
T-profile lutes							
Lute/leveller 600 mm T-profile	KT-600 C	6430026620007	2	Anodised	600	No bracing component	1,45
Lute/leveller 700 mm T-profile	KT-700 C	6430026620014	2	Anodised	700	No bracing component	1,55
Lute/leveller 600 mm T-profile + grip	KT-600 KC	6430026620021	2	Rubber grip	600	No bracing component	1,50
Lute/leveller 700 mm T-profile + grip	KT-700 KC	6430026620038	2	Rubber grip	700	No bracing component	1,60
Parts separately:							
Lute/leveller 600 mm T-profile, blade	G-14/600 T	6430026620045	–	Untreated	600	T-profile	0,50
Lute/leveller 700 mm T-profile, blade	G-14/700 T	6430026620052	–	Untreated	700	T-profile	0,60
Anodised handle, 2 m	G-22 C	6430026620069	2	Anodised	–	Glossy	0,95
Anodised handle with grip, 2 m	G-21 C	6430026620076	2	Rubber grip	–	Grip 0,7 m	1,00

— GRAFI PRO — 2017 —

- Grafipro Oy, business ID: 0837175-4 • Registered office: Naantali, Finland • Postal address: Verkapiha 3 A 1, FI-20100 Turku, Finland
- Deliveries: Voivalantie 24 A, Suite no. 3, FI-20780 Kaarina, Finland • Tel. +358 40 777 3527, +358 40 565 0126
- E-mail: : grafipro@grafipro.fi • www.grafipro.fi

Robust landscaping tools for demanding applications!

SHAFTS AND BRACING COMPONENTS

- Manufactured from durable and corrosion-resistant light-weight aluminium alloy.
- Two-metre handle; a non-slip rubber grip also available for the handle.
- The bracing component is attached with hexagonal screws.
- The bracing component is painted black (RAL 9005).
- Easy to attach; creates a very robust joint.



Product	Product code	EAN code	Handle length m	Coating	Colour	NOTES	Weight, kg
Handles and bracing components							
Anodised handle, 2 m	G-24 C	6430026627235	2	Anodised	Bright	–	0,85
Anodised handle with grip 2 m	G-27 C	6430026627334	2	Rubber grip	Bright/black	Grip 1,2 m	0,95
Tool's bracing component	G-32 LC	6430026627242	–	Painted, black RAL 9005			0,50

— GRAFI PRO — 2017 —

- Grafipro Oy, business ID: 0837175-4 • Registered office: Naantali, Finland • Postal address: Verkapiha 3 A 1, FI-20100 Turku, Finland
- Deliveries: Voivalantie 24 A, Suite no. 3, FI-20780 Kaarina, Finland • Tel. +358 40 777 3527, +358 40 565 0126
- E-mail: : grafipro@grafipro.fi • www.grafipro.fi

Sale and display stand that saves space!



The impressive stand fits ten KT-600 series and ten 720 series tools, for example.

- floor space 0,3 m²
- measurements 500 x 600 x 2200 mm
- lockable wheels
- weight without tools 15 kg

— GRAFI PRO — 2017 —

• Grafipro Oy, business ID: 0837175-4 • Registered office: Naantali, Finland • Postal address: Verkapiha 3 A 1, FI-20100 Turku, Finland
• Deliveries: Voivalantie 24 A, Suite no. 3, FI-20780 Kaarina, Finland • Tel. +358 40 777 3527, +358 40 565 0126
• E-mail: : grafipro@grafipro.fi • www.grafipro.fi