



ClearSpace™

wearable protective masks

www.safetrack.se

CLEARSPACE2™

PROTECTION AGAINST AIRBOURNE HAZARDS



REVOLUTIONARY
RESPIRATORY
PROTECTION

AFtec



ClearSpace™



battery

ClearSpace2



WWW.CLEARSPACETECHNOLOGY.COM

WORK EFFORTLESSLY & COMFORTABLY OVER LONG PERIODS WITH P3/TM3 PROTECTION



CLEANSPACE2™

Powered Respirator

– light, with no hoses, belts or cables and no maintenance. Particulate and Gas Filters

- High dust sites – quarries, mining
- Welding, grinding
- Maintenance & cleaning

SAFE Fully certified positive pressure respirator with P3 TM3 filtration efficiency ensuring maximum protection in the workplace. UP to 8 hours run time. Portacount testing enabled.

WEARABLE Easy to wear; Effortless and comfortable. No hoses or heavy waist mounted battery packs.. Award winning lightweight design (500g) delivers clean fresh air for a full shift.

SMART Tough, reliable, cost effective; no servicing or maintenance and easy to clean; A simple one-button system; CleanSpace compact design provides compatibility with other PPE.



WORK EFFORTLESSLY AND COMFORTABLY WITH P3/TM3 PROTECTION

CleanSpace is the only choice in protective masks due to its comfort and one-button simplicity. Now the choice in respiratory safety in over 20 countries.

FREE ONLINE TRAINING Contact: sales@paftec.com

WWW.CLEANSPACETECHNOLOGY.COM

CLEANSPACE2™ PRODUCT RANGE

POWER UNIT

PAF-0034
CLEANSPACE2



HEAD HARNESS
(INCLUDED)



FACE MASKS



PAF-0033
SMALL



PAF-1010
MEDIUM



PAF-0027
LARGE

All CleanSpace masks can be portacount tested using the portacounter adaptors: PAF-0025 (half mask) and PAF-1015 (full face). Half Mask fit testing kits are available (PAF-0039)

FILTERS




PAF-0038
FILTER ADAPTOR



PAF-0037
HI CAPACITY (HI CAP)
PARTICULATE FILTER
P3 HEPA



PAF-0035
EN12942 TM3P HEPA
PARTICULATE FILTER
(PACK OF 3)



PAF-0046(AU) / PAF-0050(EU)
COMBINED: ORGANIC GAS
& VAPOUR + PARTICULATE
A1P3 P SL R



PAF-0036
PRE-FILTER
(PACK OF 10)



PAF-0091(AU) / PAF-0051(EU)
COMBINED: ORGANIC,
INORGANIC & ACID GAS &
VAPOUR + PARTICULATE
ABE1P3 P SL R



FIND THE RIGHT **CLEANSPACE FILTER**

This table is a guide to assist filter selection based in your applications.¹

A user should refer to the Material Data Safety Sheet (MSDS) and establish the concentration before selecting a filter.

| INDUSTRY | APPLICATION | HAZARD | FILTER TYPE | CLEANSPACE FILTER | MATCHING PRE-FILTER |
|---|---|---|--|-----------------------|-----------------------|
| Metal-working | Cutting/grinding/drilling: of metals or rust | Metallic powder, rust powder | P3 | PAF-0035 | PAF-0036 |
| | Cutting with laser beam (plasma) | Metallic powder | P3 | PAF-0035 | PAF-0036 |
| | Cutting with laser beam with limited ventilation (plasma) | Metallic powder | SUPPLIED AIR | N/A | |
| | Soldering (without presence of soldering paste) | Smoke particles | P3 | PAF-0035 | PAF-0036 |
| | Welding Aluminium - MIG, TIG, STICK WELDING (good environment with forced ventilation) | Aluminium oxide, smoke, ozone | HI-CAPACITY P3 | PAF-0037 ² | |
| | Welding Aluminium - MIG, TIG, STICK WELDING (limited ventilation ³) | Aluminium oxide, smoke, ozone | ABE1P3 | PAF-0091 ² | |
| | Welding Steel - MIG, TIG, STICK WELDING | Metallic powder, metal oxide smoke | HI-CAPACITY P3 | PAF-0037 ² | |
| | Welding Galvanised Steel - MIG, TIG, STICK WELDING | Metallic powder, metal oxide smoke | HI-CAPACITY P3 | PAF-0037 ² | |
| | Welding Stainless Steel - MIG, TIG, STICK WELDING (good environment with forced ventilation) | Metallic powder, metal oxide smoke | HI-CAPACITY P3 | PAF-0037 ² | |
| | Welding Stainless Steel - MIG, TIG, STICK WELDING (limited ventilation ³) | Metallic powder, metal oxide smoke | ABE1P3 | PAF-0091 ² | |
| Wood-working | Paint removal via sanding, brushing (including coatings containing chromium) | Fine paint particles | P3 | PAF-0035 | PAF-0036 |
| | Adhesives Removal via scraping/sanding (such as polyester resin) | Fine particles | P3 | PAF-0035 | PAF-0036 |
| | Cutting/planning/drilling: wood including beechwood and oak | Wood dust particles | P3 | PAF-0035 | PAF-0036 |
| | Paint removal via stripping off using solvent based agents | Solvent vapour | A1P3 | PAF-0046 ² | |
| | Gluing using solvent based substances (including spray adhesives, eg. Polyester resin or epoxy resin) | Adhesive mists and solvent vapours | A1P3 | PAF-0046 ² | |
| | Paint removal via flame cleaning of old coats of paint | Gases, vapours, smoke, fine particles | ABE1P3 | PAF-0091 ² | |
| | Paintwork | Cutting/sanding/drilling: paint, lacquers and anti corrosion paint (containing chromium) | Fine paint particles | P3 | PAF-0035 |
| Cutting/sanding/drilling: of anti-fouling lacquers | | Fine paint particles | A1P3 | PAF-0046 ² | |
| Spraying/varnishing with Latex Paint | | Paint particles | P3 | PAF-0035 | PAF-0036 |
| Powder coating | | Fine paint particles | HI-CAPACITY P3 | PAF-0037 ² | |
| Spraying/varnishing with water soluble paint | | Fine paint particles | A1P3 | PAF-0046 ² | |
| Spraying/varnishing with solvent based paint, synthetic laquer and bleaching agents | | Solvent vapour and mist | A1P3 | PAF-0046 ² | |
| Spraying/varnishing with Latex Paint with the presence of residual solvents or odours | | Solvent vapour and paint particles | A1P3 | PAF-0046 ² | |
| Spraying/varnishing of isocyanates | | Solvent vapour and paint particles | SUPPLIED AIR | N/A | |
| Spraying/varnishing with laquers and wood preservatives | | Organic vapours | A1P3 | PAF-0046 ² | |
| Fibreglass | | Mixing and Laying up | Epoxy and polyester resin, amine and anhydride hardener. Methyl ethyl ketine peroxide (MEKP), styrene vapour | A1P3 | PAF-0046 ² |
| | Using a chopper gun | Glass fibre, dust resin and styrene vapour | A1P3 | PAF-0046 ² | |
| | Spray painting and cleaning moulds | Organic vapour and mist | A1P3 | PAF-0046 ² | |
| Maintenance | Disinfection and cleaning | Organic vapour, mist, dust | A1P3 | PAF-0046 ² | |
| | Disinfection and cleaning (agents containing acids) | Acids | ABE1P3 | PAF-0091 ² | |
| | Disinfection and cleaning (agents containing aldehydes) | Organic vapour, inorganic vapour, formaldehyde, mist, dust | ABE1P3 | PAF-0091 ² | |
| Construction | Cutting/sanding/grinding/drilling/plastering/casting: Concrete, cement, stone, brickwork | Concrete dust, stone powder, fine plaster dust | P3 | PAF-0035 | PAF-0036 |
| | Processing of glass fibre and mineral fiber (e.g. roof insulation) | Dust particles and fibres | P3 | PAF-0035 | PAF-0036 |
| | Painting, Spraying, Varnishing, coating | Solvent-based paint, solvents, resins, latex-paint, spray-on-glue, foam, varnish, adhesives | A1P3 | PAF-0046 ² | |
| Agriculture | Sweeping: Barns, coops, pens. Cleaning animal feed systems | Dust particles | P3 | PAF-0035 | PAF-0036 |
| | Mixing/spraying: Pesticide, fungicides, herbicides or organic vapours | Organic vapour, mist, dust | A1P3 | PAF-0046 ² | |
| | Handling Liquid Manure | Gases and vapours | A1P3 | PAF-0046 ² | |

1) PAFtec accepts no liability for incorrect choice of respiratory protective equipment. This chart is only an outline. It is designed to assist in the selection of the most appropriate filter for particular applications. It should not be used as the only means of selecting respirator/filter combination. This guide does not release the user from the obligation to comply with national application regulations and laws and is not a substitute for adhering to and understanding the product instruction manuals. 2) Requires Filter Adaptor PAF-0038. 3) Filtering respiratory protection devices should not be used in poorly ventilated areas or confined spaces, such as tanks, small rooms, tunnels or vessels. CleanSpace should not be used in oxygen deficient or oxygen enriched atmospheres. The CleanSpace EX is suitable for use in certain ignitable or potentially explosive atmospheres where there is a risk of explosion.

CleanSpace™
wearable protective masks

T: +612 8436 4000
ABN 24 146 453 554

GROUND FLOOR, 16-18 CARLOTTA ST
ARTARMON NSW 2064 AUSTRALIA

EU.SALES@PAFTEC.COM
SALES@PAFTEC.COM

WWW.CLEANSAPACETECHNOLOGY.COM

Distributed by Safetrack Baavhammar AB.

www.safetrack.se
sales@safetrack.se